



PRODUCT
CATALOG

CONBAR – about us

CONBAR is a Polish manufacturer specializing in modern finishing materials such as microcement and decorative plasters. Our mission is to provide products that combine durability, functionality, and aesthetics, supporting both professionals and individual customers in bringing their projects to life.

We offer a wide range of products suitable for various spaces:

- **Primers:** Specialized preparations that enhance adhesion and durability of our finishing systems, ensuring perfect substrate preparation.
- **Microcements:** Available in different textures and finishes, ideal for furniture, floors, walls, and stairs—both indoors and outdoors.
- **Polyurethane varnishes:** Protect surfaces made of microcement, microconcrete, and resin floors, ensuring durability, functionality, and resistance.
- **Cleaning and maintenance products:** Designed for the care of our products, helping to keep them in excellent condition for many years.
- **Ready-to-use kits:** Comprehensive solutions containing all the necessary components for applying microcement, making the process easier for professionals and individual customers.
- **Tools and accessories:** Professional equipment essential for the proper application of our materials and achieving the desired effects.

We offer our products and services to:

- **Contractors:** We provide not only high-quality materials but also technical support and training to enhance skills and facilitate the execution of even the most demanding projects.
- **Architects and interior designers:** We offer inspiring solutions and full support in technical specifications, helping to create unique and functional spaces.
- **Individual customers:** We deliver modern and durable finishing materials that make it possible to achieve dream interior and exterior designs.

We create surfaces that inspire – durable, aesthetic, and tailored to every vision.
Join us and bring your project to life with **CONBAR!**



1. Priming the substrate	
1.1 CONGRUNT	1
1.2 CONGRUNT EPO	2
1.3 Concrete repair staples	3
1.4 Glass fiber mat	4
1.5 SLIM Fiberglass Mesh	5
1.6 CONCONTACT	6
1.7 Wall preparation – CONDUO (10m ²)	7
1.8 Floor preparation – CONDUO Loft (10m ²)	8
1.9 Floor preparation – CONEPOX (10m ²)	9
2. One-component microcement	
2.1 CONONE	10
2.2 CONONE Waterproof	11
3. Two-component microcement	
3.1 CONDUO	12
3.2 CONDUO Waterproof	13
3.3 CONDUO Loft	14
3.4 CONDUO Loft Waterproof	15
4. Epoxy microcement	
4.1 CONEPOX	16
5. Microcement additives	
5.1 CONPIGMENT – pigment for microcement	17
5.2 CONTIME – open time extender	17
6. Varnishing of surfaces	
6.1 CONPRIMER – primer for varnish	18
6.2 CONPU 2K – interior varnish	19
6.3 CONCOVER PRO – solvent-based varnish	20
6.4 CONTOP 1K – outdoor varnish	21
6.5 ANTISLIP – varnish additive	22

7. CONBAR Systems – Microcement sets	
7.1 Floor set (CONEPOX – 10m ²)	23
7.2 Floor set (CONDUO Loft – 10m ²)	24
7.3 Wall set (CONONE – 10m ²)	25
7.4 Wall set (CONDUO Loft – 10m ²)	26
7.5 Stairs set (CONEPOX – 10m ²)	27
7.6 Stairs set (CONDUO Loft – 10m ²)	28
7.7 Furniture set (CONEPOX – 7m ²)	29
7.8 Furniture set (CONDUO Loft – 7m ²)	30
7.9 Bathroom set for tiles (CONDUO Loft – 10m ²)	31
7.10 Bathroom set for wall tiles (CONONE – 10m ²)	32
7.11 Outdoor set (CONDUO Loft – 10m ²)	33
8. Maintenance and cleaning products	
8.1 CONCLEANER – cleaning agent	34
8.2 CONCLEANER PRO – powerful cleaning agent	35
8.3 CONWAX – conservation	36
9. Tools and accessories	37–45
10. Samples and colors	46
11. Sample sets	47

1. Priming the substrate

Priming the substrate is a crucial step that strengthens the surface, balances absorbency, and enhances the adhesion of microcement. This ensures stability and reduces the risk of cracks and detachment, forming the foundation of a well-executed project.

1.1 **CONGRUNT** – ready-to-use, single-component bonding primer for microcement systems. CONGRUNT is designed to equalize absorbency and reinforce absorbent surfaces before applying microcement, decorative plasters, paints, flooring, etc.

Application:

- For balancing the absorbency of non-uniform substrates;
- Primer for microcement;
- Embedding SLIM fiberglass mesh

Properties:

- Increases the adhesion of microcement to the substrate
- Superficially strengthens absorbent substrates
- Improves the flow of self-leveling compounds
- Prevents water absorption from the mortar
- Very high adhesion to various surfaces
- Colorless and odorless
- Vapor-permeable
- Seals the substrate
- Easy to apply
- Low viscosity

Consumption: 0.1–0.3 kg/m², depending on the substrate's absorbency. **Drying time:** 2 to 4 hours at 20°C. **Application temperature:** 15°C to 25°C. **Shelf life:** 12 months – protect from freezing.

Capacity	1L	5L
Price	6,1 EUR	29,30 EUR



1.2 **CONGRUNT EPO** – it is a transparent two-component epoxy resin designed for concrete substrates. It is used for priming and reinforcing floors prior to the application of microcement. The material is ideal for concrete repairs, crack stitching, and applications on damp substrates, as well as in areas affected by capillary moisture rise.

Application: – For leveling and profiling surfaces before applying microcement; – As a primer for epoxy and polyurethane materials
– For penetrating porous substrates; – As a repair mortar

Properties:

- Fast polymerization, even at low temperatures
- Good penetration capabilities
- Barely noticeable odor
- Very high adhesion
- Short waiting time
- Easy application
- Low viscosity

Consumption depending on application and substrate characteristics:

- **Penetration** – For low- to medium-porosity substrates: 1 coat at 0.3 kg/m²; for highly porous surfaces, apply 2 coats.
 - **Repair mortar** (approx. 2 cm thick) – Mix with quartz sand (0.1–0.5 mm grain size) in a 1:8 weight ratio.
 - **Leveling mortar** (approx. 3 mm thick layer) – Mix with quartz sand (0.1–0.5 mm grain size) in a 1:1 weight ratio.
- For uneven substrates, depending on the type of sand used and application conditions, consumption may increase.
- **Processability** depending on environmental conditions
 - **Application temperature:** 10°C to 30°C

Capacity	1kg	5kg
Price	19,5 EUR	78 EUR



1.3 Concrete Repair Staples – 10 Pieces – specialized staples designed for repairing cracks in concrete, ideal for use with epoxy resin. This professional solution reinforces floors by stabilizing cracks on concrete surfaces. Made from high-quality stainless steel, they offer exceptional durability and resistance to corrosion. When used with epoxy resins, they enable permanent substrate restoration, preventing further damage expansion. Their unique shape ensures a strong and stable bond, making them perfect for repairing floors, walls, stairs, concrete slabs, and reinforced concrete structures.

Applications:

- Joining structural elements using epoxy resins
- Sealing cracks in reinforced concrete
- Restoring stairs and concrete slabs
- Repairing concrete floors

Price

1,8 EUR (10 pieces)




1.4 **150g Glass Fiber Mat** – a professional glass fiber mat is a proven solution for reinforcing surfaces intended to be finished with microcement, resin or decorative plaster. Thanks to its structure, the mat effectively reinforces the substrate, improves the stability of the layers and increases the system's resistance to cracking. It is a very important component wherever the durability of the entire finish matters. It works well with **CONGRUNT EPO epoxy resin**, available in a separate offer.

Technical data:

- Material: glass fiber
- Weight: 150 g/m²
- Size: 1m² (1.25 × 0.8 m)

Price

2,1 EUR (1 meter)



1.5 **SLIM Fiberglass Mesh** – a reinforcement mesh designed for finishing systems such as plasters, microcement, and skim coats. Thanks to its optimized structure and technical properties, it ensures durability and resistance to cracks and deformations. Its flexibility allows for application even on complex shapes. It can be bonded to the substrate using **CONGRUNT** or a thick liquid polymer like **CONWET**.

For 10m² of mesh, 2kg of CONWET polymer is required. This fiberglass mesh is an ideal reinforcement solution for both professional and DIY finishing projects.

Technical Data:

- Surface weight: 60g/m²
- Mesh size: 2.5 × 3mm
- Roll length: 50m
- Roll width: 1m

Price

2,1 EUR (1 meter)



**Fiberglass
mesh**

 **BUY NOW**



1.6 **CONCONTACT** – a ready-to-use bonding compound with high hardness, formulated with high-quality dispersion resins and mineral fillers. This bonding bridge is ideal as a base layer for microcement applications on ceramic-tiled walls, drywall, OSB, MDF, plywood, concrete, etc. It creates a durable connection between the existing substrate and subsequent finishing layers. Applied using a Venetian trowel.

Application:


- For smooth surfaces
- As a bonding bridge for tiled walls
- For use on furniture, walls, and ceilings
- For equalizing the absorbency of non-uniform substrates
- As a base for decorative plasters and microcement on walls
- To create an adhesion layer between the existing substrate and finishing layers

Properties:

- Enhances adhesion of decorative plasters and microcements
- Very high adhesion to any substrate
- Strengthens and seals the substrate
- UV-resistant, does not yellow
- Layer thickness: 0.2–0.5mm
- Easy application
- Ready to use
- Solvent-free

Consumption: Approx. 1kg/m² (for a single layer)

Capacity	5 kg	10 kg	15 kg
Price	22 EUR	42,7 EUR	61 EUR



1.7 Wall preparation – CONDUO (10m² set) (optional waterproof version: **CONDUO Waterproof Base L**) – a two-component polymer microcement system designed for wall preparation before applying microcement. It is ideal for cement surfaces, ceramic tiles, plasterboard (GK), MDF, and HDF panels. It creates a seamless surface for further microcement layers. Apply with a trowel to grain thickness. The waterproof version does not require additional waterproofing.

Set Contents:

- **CONDUO Base L 17.5kg** (CONDY Base L 12.5kg + CONWET 5kg) – A coarse-grain microcement for wall preparation before applying microcement + SLIM Fiberglass Mesh (10m²).
- **CONDUO Waterproof Base L 17.5kg** (CONDY Waterproof Base L 12.5kg + CONWET Waterproof 5kg) – A waterproof, coarse-grain microcement for wall preparation before applying microcement + SLIM Fiberglass Mesh (10m²).

Application – CONDUO Base L 17.5kg:

- Plasterboard GK, MDF, HDF
- Cement surfaces on walls
- Ceramic tiles on walls
- Dry areas on walls
- Furniture

Application – CONDUO Waterproof Base L 17.5kg:

- Plasterboard GK, MDF, HDF in humid environments
- Facade applications (outdoor use)
- Cement surfaces in wet zones
- Ceramic tiles in wet zones

Consumption: Approx. 1.1kg/m² (for the first coarse Base L layer),
 Approx. 0.65kg/m² (for the second coarse Base L layer). Complete CONDUO Base L set covers approx. 10m²

Variants	CONDUO	CONDUO Waterproof
Set price	113,5 EUR	137,9 EUR



1.8 **Floor preparation – CONDUO Loft (10m² set)** (optionally available in the waterproof version: **CONDUO Loft Waterproof**) – is a polymer-cement system for preparing floors for microcement application. It is ideal for use on concrete surfaces, anhydrites, self-leveling compounds, and ceramic tiles. It creates a seamless surface for the application of subsequent layers of microcement. It works very well with underfloor heating systems. Apply with a trowel to the thickness of the grain. The waterproof version does not require additional waterproofing.

Set contents:

- **CONDUO Loft Base L 17.5kg** (CONDROY Loft Base L 12.5kg + CONWET Loft 5kg) – coarse-grained microcement for preparing floors for microcement application + SLIM fiberglass mesh 10m²
- **CONDUO Loft Waterproof Base L 17.5kg** (CONDROY Loft Waterproof Base L 12.5kg + CONWET Loft Waterproof 5kg) – waterproof, coarse-grained microcement for preparing floors for microcement application + SLIM fiberglass mesh 10m²

Application – CONDUO Loft Base L 17.5kg:

- Cement floors, anhydrite floors, self-leveling compounds
- Ceramic tiles
- Dry areas

Application – CONDUO Loft Waterproof Base L 17.5kg:

- Cement floors, anhydrite floors, self-leveling compounds
- Terraces, balconies, facades (outdoor use)
- Floors (wet areas)
- Ceramic tiles

Consumption: Approx. 1.1kg/m² (for the first coarse Base L layer),
 Approx. 0.65kg/m² (for the second coarse Base L layer). Complete CONDUO Loft Base L set covers approx. 10m²

Variants	Loft	Loft Waterproof
Set price	125,7 EUR	150 EUR



1.9 Floor preparation – **CONEPOX Base L (10m² set)** – is a coarse-grained epoxy resin-based microcement for indoor use. **CONEPOX** is a system for creating seamless surfaces on existing substrates such as cement screed, anhydrite, ceramic tiles, plasterboard, OSB, MDF, plywood, furniture, etc. Due to its exceptional properties, **CONEPOX** ensures maximum hardness, durability, aesthetics, and a uniform appearance with a modern style. Apply with a Venetian trowel to the thickness of the grain. Waterproof, does not require additional waterproofing.

Set contents:

– **CONEPOX Base L** (colored, coarse-grained, two-component epoxy microcement) + SLIM fiberglass mesh 10m²

Application – choose it to prepare surfaces for:

- Cement floors, anhydrite floors, self-leveling compounds
- Furniture, doors, and kitchen countertops
- Dry and wet areas
- Ceramic tiles
- Walls

Consumption:

– approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – for the 1st and 2nd layers)

Set price

263,5 EUR



2. One-component microcement

2.1 **CONONE** – is a colored decorative mortar for use on interior walls. It is designed for a more uniform effect. The **Waterproof** version provides waterproofing within the mass, making it suitable for use in wet and outdoor areas. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, OSB, MDF, plywood, or concrete.

Application – Choose it for a more uniform effect on:
– Walls, ceilings, columns (inside buildings, in dry areas)

Properties:

- Very high adhesion to all types of substrates
- Ability to freely create surface texture
- High resistance to abrasion and scratches
- UV resistant, does not yellow
- Easy-to-clean coating
- Unlimited color palette
- System thickness 1.5-2mm
- Short application time

Consumption: Depending on gradation (Fino, Normal, Base L, Base XL)


Gradations: – Base XL: up to 0.8mm – Base L: up to 0.5mm – Normal: up to 0.16mm – Fino: up to 0.02mm

Drying time: approx. 6 hours at 20°C.

Application temperature: from 15°C to 25°C.

Shelf life: 12 months – protect from freezing.

Capacity	5kg	10kg	17,5kg
Price	46,4 EUR	91,5 EUR	146,4 EUR



2.2 **CONONE Waterproof** – is a decorative, waterproof, colored mortar for use on walls in wet and outdoor areas. It is designed for a more uniform effect. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, OSB, MDF, plywood, or concrete.

Application – Choose it for a more uniform effect on:

- Walls, ceilings, columns (in wet or outdoor areas)

Properties:

- Very high adhesion to all types of substrates
- High resistance to abrasion and scratches
- Ability to freely create surface texture
- UV resistant, does not yellow
- System thickness 1.5-2mm
- Unlimited color palette
- Short application time
- Easy-to-clean coating
- Waterproof

Consumption: Depending on gradation (Fino, Normal, Base L, Base XL)

Gradations: – Base XL: up to 0.8mm – Base L: up to 0.5mm – Normal: up to 0.16mm – Fino: up to 0.02mm

Drying time: approx. 6 hours at 20°C.

Application temperature: from 15°C to 25°C.

Shelf life: 12 months – protect from freezing.

Capacity	5kg	10kg	17,5kg
Price	54,9 EUR	107,4 EUR	170,8 EUR



3. Two-component microcement

3.1 **CONDUO** – is a two-component polymer microcement system. It is designed for a more uniform effect on walls. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, OSB, MDF, plywood, or concrete. It is also available in a **Waterproof** version for wet and outdoor areas.

Set contents: CONDUO = Component A: dry decorative mass (CONDRY) + Component B: liquid polymer (CONWET).

Application – Choose it for a more uniform effect on:
 – Walls, ceilings, columns (inside buildings, in dry areas)


Properties:

- Very high adhesion to all types of substrates
- High resistance to abrasion and scratches
- Ability to freely create surface texture
- UV resistant, does not yellow
- System thickness 1.5-2mm
- Unlimited color palette
- Easy-to-clean coating

Consumption of CONDUO (CONDRY + CONWET) for the 1st and 2nd layer:

- approx. 1.4kg/m² + 0.8kg/m² (Base XL gradation – up to 0.8mm)
- approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – up to 0.5mm)
- approx. 0.5kg/m² + 0.5kg/m² (Normal gradation – up to 0.2mm)
- approx. 0.2kg/m² + 0.2kg/m² (Fino gradation – up to 0.02mm)

Capacity (A+B)	3,5kg	10,5kg	17,5kg
Price	19,6 EUR	57,4 EUR	94 EUR



3.2 **CONDUO Waterproof** – is a two-component polymer system of waterproof microcement. It is designed for a more uniform effect on walls. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, etc. It is perfect for walls in wet areas and outdoor applications.

Set contents: CONDUO Waterproof = Component A: dry decorative mass (CONDRY Waterproof) + Component B: liquid polymer (CONWET Waterproof).

Application – Choose it for a more uniform effect on:
– Walls/facades, etc. (in wet areas, outdoors)


Properties:

- Very high adhesion to all types of substrates
- High resistance to abrasion and scratches
- Ability to freely create surface texture
- UV resistant, does not yellow
- System thickness 1.5-2mm
- Unlimited color palette
- Easy-to-clean coating

Consumption of CONDUO Waterproof (CONDRY Waterproof + CONWET Waterproof) for the 1st and 2nd layer:

- approx. 1.4kg/m² + 0.8kg/m² (Base XL gradation – up to 0.8mm)
- approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – up to 0.5mm)
- approx. 0.5kg/m² + 0.5kg/m² (Normal gradation – up to 0.2mm)
- approx. 0.2kg/m² + 0.2kg/m² (Fino gradation – up to 0.02mm)

Capacity (A+B)	3,5kg	10,5kg	17,5kg
Price	24,4 EUR	70,8 EUR	118,3 EUR



3.3 **CONDUO Loft** – is a two-component polymer-cement microcement system. It is designed to create an industrial loft-style effect on floors and walls. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, OSB, MDF, etc. It is ideal for dry areas. It is also available in a **Waterproof** version for wet and outdoor areas.

Set contents: CONDUO Loft = Component A: dry decorative mass (CONDRY Loft) + Component B: liquid polymer (CONWET Loft).

Application – Choose it for a loft-style effect on:
 – Floors, stairs, walls (inside buildings, in dry areas)

Properties:

- Very high adhesion to all types of substrates
- High resistance to abrasion and scratches
- Ability to freely create surface texture
- UV resistant, does not yellow
- System thickness 1.5-2mm
- Unlimited color palette
- Short application time
- Easy-to-clean coating

Consumption of CONDUO Loft (CONDRY Loft + CONWET Loft) for the 1st and 2nd layer:

- approx. 1.4kg/m² + 0.8kg/m² (Base XL gradation – up to 0.8mm)
- approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – up to 0.5mm)
- approx. 0.5kg/m² + 0.5kg/m² (Normal gradation – up to 0.2mm)
- approx. 0.2kg/m² + 0.2kg/m² (Fino gradation – up to 0.02mm)

Capacity (A+B)	3,5kg	10,5kg	17,5kg
Price	23,2 EUR	65,9 EUR	106,1 EUR



3.4 **CONDUO Loft Waterproof** – is a two-component polymer-cement, waterproof microcement system. It is designed to create an industrial loft-style effect on floors and walls in wet areas. It performs excellently on both new and existing substrates, such as ceramic tiles, plasterboard, OSB, MDF, etc. It is ideal for wet areas and outdoor applications.

Set contents: CONDUO Loft Waterproof = Component A: dry decorative mass (CONDRIY Loft Waterproof) + Component B: liquid polymer (CONWET Loft Waterproof).

Application – Choose it for a loft-style effect on:
– Floors, stairs, walls, etc. (in wet areas, outdoors)

Properties:

- Very high adhesion to all types of substrates
- High resistance to abrasion and scratches
- Ability to freely create surface texture
- UV resistant, does not yellow
- System thickness 1.5-2mm
- Unlimited color palette
- Easy-to-clean coating
- Short application time

Consumption of CONDUO Loft Waterproof (CONDRIY Loft Waterproof + CONWET Loft Waterproof) for the 1st and 2nd layer:

- approx. 1.4kg/m² + 0.8kg/m² (Base XL gradation – up to 0.8mm)
- approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – up to 0.5mm)
- approx. 0.5kg/m² + 0.5kg/m² (Normal gradation – up to 0.2mm)
- approx. 0.2kg/m² + 0.2kg/m² (Fino gradation – up to 0.02mm)

Capacity (A+B)	3,5kg	10,5kg	17,5kg
Price	26,9 EUR	79,3 EUR	130,5 EUR



4. Epoxy microcement

4.1 **CONEPOX** – is an epoxy resin-based microcement for indoor applications. CONEPOX is a system designed to create seamless and more uniform surfaces on existing substrates such as cement screeds, anhydrite screeds, ceramic tiles, plasterboard, OSB, MDF, plywood, furniture, etc. Thanks to its exceptional properties, CONEPOX ensures the highest hardness, durability, aesthetics, and a uniform modern-style surface. Apply using a Venetian trowel to the grain thickness.

Set contents: **CONEPOX** (Component A + B) – colored, two-component epoxy microcement.

Application – Choose it for achieving a more uniform surface on:
– Cement, anhydrite, and self-leveling compound floors; – Furniture, doors, and kitchen countertops; – Dry and wet areas

Properties:

- Very high resistance to abrasion and scratches
- Very high adhesion to all types of substrates
- Ability to freely create surface texture
- System thickness 1.5-2mm
- Unlimited color palette
- Easy-to-clean coating
- Very high hardness
- Waterproof

Consumption of CONEPOX (A+B) for the 1st and 2nd layer:

- approx. 1.4kg/m² + 0.8kg/m² (Base XL gradation – up to 0.8mm) [1]
- approx. 1.1kg/m² + 0.65kg/m² (Base L gradation – up to 0.5mm) [1]
- approx. 0.5kg/m² + 0.5kg/m² (Normal gradation – up to 0.2mm) [2]
- approx. 0.2kg/m² + 0.2kg/m² (Fino gradation – up to 0.02mm) [2]

Gradations	Base L/XL [1]		Fino/Normal [2]	
Capacity (A+B)	10,35 kg	17,25 kg	9,75 kg	16,25 kg
Price	145,2 EUR	241,5 EUR	136,6 EUR	224,4 EUR



5. Microcement additives

5.1 **CONPIGMENT** – is a liquid pigment for coloring microcement, concrete, plasters, stuccoes, paints, and water-based epoxy resins. The product allows for obtaining uniform, intense colors, enhancing the aesthetics of any surface. In addition to the existing color palette, it is possible to create any shade from the RAL and NCS palettes.

Properties:

- Easy and quick application
- Resistant to UV sunlight
- Inorganic pigment

Price

7,4 – 24,4 EUR

5.2 **CONTIME** – is an additive that extends the "open time" and workability of **CONONE**, **CONDUO** and **CONDUO Loft (Waterproof)** microcements. This product is particularly useful when working in warm conditions, where the setting time of microcements is reduced. Its application delays the setting time of the microcement and makes cleaning easier.

Properties and applications:

- Reduces the visibility of burns on microcement
- Extends the open time of microcement
- Compatible with most microcements
- Prolongs microcement workability
- Facilitates tool cleaning
- Increases mass flexibility
- Milky color

Capacity

1L

Price

14,4 EUR



CONPIGMENT

 **BUY NOW**



CONTIME

 **BUY NOW**

6. Varnishing of surfaces

Varnishing is a crucial step that protects microcement, further increasing its resistance to abrasion, moisture, and dirt. A properly selected varnish enhances the aesthetics of the surface and ensures its longevity.

6.1 **CONPRIMER** – is an acrylic-polyurethane primer for polyurethane varnishes such as **CONPU 2K**, **CONCOVER PRO**, and **CONTOP 1K**. It improves the adhesion of the varnish to the substrate, ensuring long-lasting and solid surface protection. Designed for both interior and exterior applications, providing versatility and ease of use. Apply using a microfiber roller.

Application:

- To equalize the absorbency of non-homogeneous substrates
- Primer for polyurethane varnishes

Properties:

- Enhances varnish adhesion to the substrate
- Very high adhesion to various substrates
- Increases resistance to dirt and water
- UV-resistant, does not yellow
- Transparent and odorless
- Short drying time
- Easy application
- Low viscosity

Consumption: 0.1 kg/m²

Capacity	1L	5L
Price	29,3 EUR	145,2 EUR



CONPRIMER

 **BUY NOW**



6.2 **CONPU 2K** – is a indoor, transparent, two-component polyurethane varnish for microcement, resin floors, and decorative plasters. It offers excellent adhesion and abrasion resistance. UV-resistant, it does not yellow over time. Enhances the mechanical and functional properties of the substrate. For interior use only. Apply using a microfiber roller. Before applying the varnish, use the **CONPRIMER** primer.

Application:

- Finishing varnish for polyurethane, epoxy, stone, and concrete surfaces, suitable for floors and walls indoors
- Protects industrial floors with high traffic and low to medium mechanical loads
- Protective varnish for microcement coatings

Properties:

- Excellent adhesion to the substrate
- Provides hydrophobic properties
- UV-resistant, does not yellow
- High chemical resistance
- Transparent and odorless
- High abrasion resistance
- Easy-to-clean surface
- Easy application
- Low viscosity

Consumption: 0.06-0.12 kg/m² (first layer) – two layers recommended

Finishing	Matte	Satin	Gloss
Capacity	1,2kg		
Price	40,3 EUR		



6.3 **CONCOVER PRO** – is a two-component, solvent-based varnish that provides the highest resistance to mechanical impact, abrasion, and scratches. It can be used both indoors and outdoors, offering versatile application possibilities. Available in satin, matte, or ultra-matte finishes, it allows customization to meet project requirements. Ideal for sealing microcement and resin floors. Before applying the varnish, use the **CONPRIMER** primer.

Application:

- Protection of polyurethane and epoxy floors
- Protection of wooden surfaces outdoors
- Industrial floors, cold storage rooms
- Various outdoor protective coatings
- Balconies, terraces, walkways
- Microcement surfaces
- Parking lots, garages
- Recreational areas
- Concrete floors

Properties:

- Resistant to friction and weather conditions
- Conceals surface imperfections
- Stable up to 80°C
- Easy to apply
- Transparent
- UV-resistant
- Fast curing

Consumption: 0.18 kg/m² (for the first and second layer)

Finishing	Ultramatte	Matte	Satin
Capacity	1,2kg	4kg	
Price	53,7 EUR	175,7 EUR	



6.4 **CONTOP 1K** – is a solvent-based outdoor varnish. It is a high-build, single-component, and flexible polyurethane varnish. It provides excellent protection for microcement and resin surfaces on balconies, terraces, and wet areas. Before applying the varnish, use the **CONPRIMER** primer. Apply using a microfiber roller or trowel.

Application:

- Wet areas, bathrooms, around linear drains
- Terraces, balconies

Properties:

- Excellent adhesion to all types of substrates
- High resistance to abrasion and scratches
- UV-resistant, does not yellow
- Easy-to-clean coating
- Waterproof
- Flexible

Consumption: 0.15 kg/m² + 0.15 kg/m² (for the first and second layer)

Finishing	Satin	
Capacity	1kg	3kg
Price	29,3 EUR	145,2 EUR



6.5 **ANTI SLIP** – is an anti-slip additive for varnishes and paints made from polyethylene, providing long-lasting slip resistance, which is especially important for surfaces exposed to moisture. Thanks to the granular polyethylene additive, your finishes will be safe for users. The additive is compatible with **CONBAR** varnishes: **CONPU 2K**, **CONCOVER PRO**, and **CONTOP 1K**.

Application – Add the additive to the final coat of varnish in a weight ratio of 1.5-2.5%, meaning 15-25g of the additive per 1kg of varnish. Download the technical data sheet below to learn more.

It works perfectly on:

- Residential and commercial buildings
- Terraces, balconies, pools, fountains
- Areas around linear drains

Properties:

- Compatible with any CONBAR varnish
- Particle size: 0.3mm
- Milky appearance

Consumption: 1,5-2,5% weight of varnishes

Capacity	20g	100g	1kg
Price	4,9 EUR	11 EUR	63,2 EUR



ANTI SLIP

 **BUY NOW**



7. CONBAR Systems – Microcement sets

7.1 Epoxy Microcement for Flooring (10m² Set) – a modern solution for those seeking with a more uniform interior finishes with the highest performance parameters. The complete system allows for the creation of seamless surfaces and exceptional resistance to abrasion, scratches, and intense usage. It works perfectly in living rooms, kitchens, bathrooms, on stairs, and other surfaces in homes, apartments, and commercial spaces.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Fiberglass Mesh** 10m²: Very thin and flexible mesh
- **CONEPOX** Base L 10.35kg: Coarse-grained, colored epoxy-based microcement in a two-component system, ideal for covering the mesh as a substrate preparation for fine-grained microcement
- **CONEPOX** Normal 9.75kg: Fine-grained, colored epoxy-based microcement in a two-component system
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a more uniform effect on/in:

- Flooring in living rooms, kitchens, and bedrooms
- Surfaces with heavy use
- Interior stairs

Set price

473,2 EUR



 **BUY NOW**



7.2 Microcement for Flooring (10m² Set) – the perfect solution for interior flooring with a loft finish. This set contains all the essential products for applying microcement on dry areas in the Loft product line. This set includes everything needed to apply microcement on a 10m² surface.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Fiberglass Mesh** 10m²: Very thin and flexible mesh
- **CONDUO Loft** (optional **Waterproof**) Base L 17.5kg (CONDYR Loft (optional Waterproof) Base L 12.5kg + CONWET Loft 5kg (optional Waterproof)): Coarse-grained, two-component, (optional waterproof) microcement, ideal for covering the mesh
- **CONDUO Loft** (optional **Waterproof**) Normal 10.5kg (CONDYR Loft (optional Waterproof) Normal 7.5kg + CONWET Loft 3kg (optional Waterproof)): Fine-grained, two-component, (optional waterproof) microcement, ideal for the top layers
- **CONPIGMENT**: Pigment for microcement
- **CONPRIMER 1L**: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K 1.2kg**: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a loft effect on/in:

- Flooring in living rooms, kitchens, and bedrooms
- Surfaces with heavy use
- Interior stairs

Set price	278,1 – 350 EUR
------------------	-----------------



7.3 Microcement for Walls – Wet and Dry Areas (10m² Set) – the perfect solution for walls with a more uniform finish, both in wet and dry areas. This set contains all the essential products from the Waterproof line to apply microcement on a 10m² surface. It is a complete system for finishing walls, allowing you to create a durable, aesthetic surface with a more uniform effect. By using **CONONE Waterproof** microcement, you will achieve a smoother, wear-resistant surface that is easy to maintain.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Fiberglass Mesh** 10m²: Very thin and flexible mesh
- **CONONE** Normal 10kg (optional Waterproof version) = Ready-to-use, colored, fine-grained, (optional waterproof) microcement, ideal for the top layers in wet areas, especially for beginners
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a more uniform effect on/in:

- Bathrooms and wet areas
- On tiles without removing them
- Floors and walls
- Showers

Set price

164,7 – 225,7 EUR



 **BUY NOW**



7.4 Microcement for Walls – Wet and Dry Areas (10m² Set) – the perfect solution for walls with a loft-style finish, both in wet and dry areas. This set contains all the essential products from the **Loft Waterproof** line to apply microcement on a 10m² surface. It is a complete system for finishing walls, allowing you to create a durable, aesthetic surface with a loft effect. By using **CONDUO Loft Waterproof** microcement, you will achieve a loft-style surface that is resistant to wear and easy to maintain.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **CONDUO Loft** Normal 10.5kg (optional Waterproof version) = **CONDYR Loft** Normal 7.5kg (optional Waterproof version) + **CONWET Loft** 3kg (optional Waterproof version): Fine-grained, two-component, (optional waterproof) microcement, ideal for the top layers in dry or wet areas in the Waterproof version
- **CONPIGMENT**: Pigment for microcement
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a loft effect on/in:

- Bathrooms and wet areas or walls in dry areas
- On walls (including shower walls)

Set price

151,3 – 197,6 EUR



 **BUY NOW**



7.5 Epoxy Microcement for Stairs (10m² Set) – a complete system for finishing stairs that allows you to create a durable, aesthetic surface with a uniform appearance. By using **CONONE** microcement, you will achieve a surface with the highest hardness and durability, resistant to wear and easy to maintain.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **CONEPOX** Base L 10.35kg: Coarse-grained, colored in mass, two-component epoxy-based microcement, ideal for preparing the substrate for fine-grained microcement
- **CONEPOX** Normal 9.75kg: Fine-grained, colored in mass, two-component epoxy-based microcement
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a more uniform effect on/in:

- Interior stairs

Set price	354,9 EUR
------------------	-----------



 **BUY NOW**



7.6 Microcement for Stairs (10m² Set) – an ideal solution for interior stairs in a loft-style finish. This is a set of necessary products for applying microcement to stairs in dry areas from the Loft product line. In this set, you will find all the essential products for applying microcement on a surface of 10m². It's a complete system for finishing stairs, allowing you to create a durable, aesthetic surface with a loft-style look. By using **CONDUO Loft** microcement, you will achieve a loft-style, seamless surface that is durable, resistant to wear, and easy to maintain.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **CONDUO Loft Base L** 10.5kg (CONDYR Loft Base L 7.5kg + CONWET Loft 3kg): Coarse-grained, two-component microcement, ideal for preparing the substrate for fine-grained microcement
- **CONDUO Loft Normal** 10.5kg (CONDYR Loft Normal 7.5kg + CONWET Loft 3kg): Fine-grained, two-component microcement, ideal for the top layers on stairs
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a loft effect on/in:

- Interior stairs

Set price

217,1 – 262,2 EUR



 **BUY NOW**



7.7 Epoxy Microcement for Furniture (10 m² Set) – an ideal solution for those who want to give their furniture and doors a unique, uniform character. **CONEPOX** is an epoxy resin-based microcement designed for indoor use. This set allows you to create a durable, waterproof surface with a uniform appearance.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **CONEPOX** Normal 9.75kg: Colored, fine-grained two-component microcement based on epoxy resin
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a more uniform effect on/in:

- Furniture surfaces, e.g. tables, coffee tables
- Bathroom and kitchen countertops
- Furniture fronts
- Hidden doors

Set price

209,8 EUR



 **BUY NOW**



7.8 Microcement for Furniture – Wet and Dry Areas (7 m² Set) – the ideal solution for furniture in a loft finish, both in wet and dry areas. This set contains all the necessary products from the **Loft Waterproof** line for applying microcement on a 7m² surface. It's a complete system for finishing furniture that creates a durable, aesthetic surface with a loft effect. With the application of **CONDUO Loft Waterproof** microcement, you'll achieve a loft-style surface that is resistant to wear and easy to maintain.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **CONDUO Loft Normal** 10.5kg (optionally in Waterproof version) = **CONDYR** Loft Normal 7.5kg (optionally in Waterproof version) + **CONWET** Loft 3kg (optionally in Waterproof version): Fine-grained, two-component, (optionally waterproof in mass) microcement, ideal for top layers in dry or wet areas in the Waterproof version
- **CONPIGMENT**: Pigment for microcement
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish

Application – use to achieve a loft effect on/in:

- Furniture surfaces, e.g. tables, coffee tables
- Bathroom and kitchen countertops
- Furniture fronts
- Hidden doors

Set price

164,7 – 197,6 EUR



 **BUY NOW**



7.9 Mikrocement for Bathrooms on Tiles (10m² Set) – the perfect solution for tiles on floors and walls in wet areas with a loft finish. This set contains all the necessary products for applying microcement to tiles in wet areas from the **Loft Waterproof** line. In this set, you'll find everything you need to apply microcement on a 10m² surface.

Set Contents:

- **CONGRUNT 1L**: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Glass Fiber Mesh** 10m²: Very thin and flexible mesh
- **For Floors: CONDUO Loft Waterproof Base L 17.5kg (CONDYR Loft Waterproof Base L 12.5kg + CONWET Loft Waterproof 5kg)**: Coarse-grained, two-component, waterproof microcement, ideal for covering the mesh in wet areas on floors
- **For Walls: CONDUO Waterproof Base L 17.5kg (CONDYR Waterproof Base L 12.5kg + CONWET Waterproof 5kg)**: Coarse-grained, two-component, waterproof microcement, ideal for covering the mesh in wet areas on walls
- **CONDUO Loft Waterproof Normal 10.5kg (CONDYR Loft Waterproof Normal 7.5kg + CONWET Loft Waterproof 3kg)**: Fine-grained, two-component, waterproof microcement, ideal for top layers in wet areas, or **CONONE Waterproof Normal 10kg**: Ready-to-use, colored, fine-grained, waterproof microcement, ideal for top layers in wet areas, especially for beginners
- **CONPIGMENT**: Pigment for microcement
- **CONPRIMER 1L**: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K 1.2kg**: Two-component polyurethane varnish in matte, satin, or gloss finish, or **CONCOVER PRO 1.2kg**: Two-component polyurethane varnish based on solvent with ultramat, matte, and satin finishes

Application – use to achieve a loft effect on/in:

- Apply it on tiles on walls and floors without removing the tiles
- Walls and floors in bathrooms and wet areas
- Showers on walls and floors

Set price	303,7 – 362,2 EUR
------------------	-------------------



BUY NOW



7.10 Mikrocement for Bathrooms on Tiles for Walls (10m² Set) – the perfect solution for tiles on walls in wet areas with a more uniform finish. This set contains all the necessary products for applying microcement to tiles in wet areas from the **Waterproof** line. In this set, you'll find everything you need to apply microcement on a 10m² surface.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Glass Fiber Mesh** 10m²: Very thin and flexible mesh
- **CONDUO Waterproof Base L** 17.5kg (CONDRIY Waterproof Base L 12.5kg + CONWET Waterproof 5kg): Coarse-grained, two-component, waterproof microcement, ideal for covering the mesh in wet areas on walls
- **CONONE Waterproof Normal** 10kg: Ready-to-use, colored, fine-grained, waterproof microcement, ideal for top layers in wet areas, especially for beginners
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONPU 2K** 1.2kg: Two-component polyurethane varnish in matte, satin, or gloss finish, or **CONCOVER PRO** 1.2kg: Two-component polyurethane varnish based on solvent with ultramat, matte, and satin finishes

Application – use to achieve a more uniform effect on/in:

- Walls in bathrooms and wet areas
- On tiles (on walls) without removing them
- In showers (on walls)

Set price

331,8 – 378,1 EUR



7.11 Mikrocement for Outdoors (10m² Set) – the perfect solution for terraces, balconies, etc., with a loft-style finish. This set contains all the necessary products for applying microcement outdoors, based on products from the **Loft Waterproof** line. In this set, you'll find everything you need to apply microcement on a 10m² surface.

Set Contents:

- **CONGRUNT** 1L: Acrylic primer that enhances adhesion of subsequent layers to the substrate
- **SLIM Glass Fiber Mesh** 10m²: Very thin and flexible mesh
- **CONDUO Loft Waterproof Base L** 17.5kg (CONDRIY Loft Waterproof Base L 12.5kg + CONWET Loft Waterproof 5kg): Coarse-grained, two-component, waterproof microcement, ideal for covering the mesh
- **CONDUO Loft Waterproof Normal** 10.5kg (CONDRIY Loft Waterproof Normal 7.5kg + CONWET Loft Waterproof 3kg): Fine-grained, two-component, waterproof microcement, ideal for top layers
- **CONPIGMENT**: Pigment for microcement
- **CONPRIMER** 1L: Acrylic-polyurethane primer for polyurethane varnishes
- **CONTOP 1K 3kg**: Single-component, flexible polyurethane varnish for outdoor surfaces
- **ANTISLIP**: Anti-slip additive for the varnish (optional)

Application – use to achieve a loft effect on/in:

- Terraces, balconies, facades
- Bathrooms and wet areas
- Around linear drains

Set price

389,1 – 400 EUR



8. Maintenance and cleaning products

Proper maintenance of microcement is key to its durability and aesthetics. Regular cleaning with dedicated products helps maintain the surface's resistance and protects it from damage, ensuring the longevity and consistent appearance of the microcement.

8.1 **CONCLEANER** – a cleaning agent for microcement, polyurethane and epoxy resins, as well as other surfaces protected with polyurethane coatings. For everyday care. Thanks to its polyurethane content, the product not only effectively removes dirt but also leaves a protective film that seals micro-scratches formed during normal floor use. For very heavy soiling, we recommend the stronger version **CONCLEANER PRO**. After cleaning the floor, it is recommended to use the **CONWAX** conservation wax.

Properties and Application:

- Suitable for mineral floors, resin surfaces, microcement
- Removes dirt and grease residues
- Does not leave streaks or smears
- Seals micro-scratches
- For daily use
- Pet-friendly

Consumption:

Dilute the solution with water in a 1:50 ratio (20ml per 1 liter of cold water), which is enough for approximately 50m² of surface. For heavy soiling, such as post-construction dirt, dilute the solution in a 1:10 ratio (100ml per 1 liter of water).

Capacity	1L
Price	15,9 EUR



CONCLEANER

 **BUY NOW**



8.2 **CONCLEANER PRO** – an ultra-strong cleaning agent for microcement, actively removing dirt as well as grease residues without dissolving the protective coating. For deep cleaning of surfaces protected with polyurethane coatings. For milder and more delicate stains, we recommend the CONCLEANER variant. After cleaning the floor, we recommend using the **CONWAX** protective wax.

Properties and application:

- For mineral, resin, and microcement floors
- For surfaces protected with polyurethanes
- Does not dissolve the protective coating
- Removes dirt and grease residues
- Leaves no streaks or smears
- For deep cleaning
- Hypoallergenic

Consumption:

The solution should be diluted in water at a ratio of 1:10 (100ml per 1 liter of cold water), which is enough for approximately 50m² of surface. For heavy dirt (e.g., post-construction), the solution should be diluted at a ratio of 1:5 (200ml per 1 liter of water).

Capacity	1L
Price	15,9 EUR



8.3 **CONWAX** – a ready-to-use wax for microcement. Available in matte and satin finishes. It conserves and increases the surface hardness. It also enhances the waterproofing of the substrate. CONWAX is resistant to alcohol and disinfectant substances.

Properties and application: – Increases hardness and provides a matte or satin finish

- Strengthens and protects the coating
- Durable and natural effect
- Suitable for home use
- Efficient

Finishing	Matte [1]	Satin [2]
Capacity	1L	
Price	23,2 EUR	



CONWAX

[1]  **BUY NOW**

[2]  **BUY NOW**



9. Tools and accessories

Choosing the right tools and accessories is a key element for the precise application of microcement. High-quality trowels, rollers, and mixers ensure even distribution of the material, influencing the final aesthetic effect and durability of the surface.

9.1 **Nitrile gloves** are known for their excellent protection against bacteria, viruses, and chemicals, without causing allergic reactions. Due to their exceptional properties, they are increasingly being chosen over traditional latex gloves.

Properties and usage:

- Powder-free and hypoallergenic
- Protection and safety
- Versatile applications
- Comfortable to use
- High resistance

Quantity	100
Price	4,2 EUR

9.2 **Mixing paddle for microcement, resins, adhesives, and pigments**

– double-galvanized with a system that prevents air from being trapped in the mixture. The unique shape of the blades allows for even mixing of microcement, resins, and pigments, pulling the mixture from top to bottom. Two rows of blades ensure strong material flow. Available in two variants: **single** and **double**.

Variants	Single	Double
Price	7,4 EUR	12,2 EUR



9.3 **Painter's tape** – ideal for protecting surfaces during microcement application. This high-quality product is made of strong paper – slightly creped and impregnated with a UV layer. The natural rubber adhesive allows the tape to be used in various temperature conditions, both indoors and outdoors. The tape adheres perfectly to surfaces, does not leak, does not stick permanently, and leaves no glue residue. It has excellent adhesion to different types of surfaces, ensuring clean painting lines.

Specifications and properties: – Length: 50m; – For indoor and outdoor use; – UV resistance: 14 days; – Backing: super-strong paper – Leaves sharp edges; – Adhesive: natural rubber solvent; – Paper weight: 76g/m²; – Total thickness: 145µm – Tensile strength: 3.5 kg/cm; – Elongation: 10%; – Adhesion: 2.5 N/cm; – Temperature resistance: 80°C for 30 minutes; – Color: orange

Widths	30mm	50mm
Price	3,7 EUR	5,7 EUR

9.4 **Diamond polishing discs FI 125/FI 150** – high-quality dry-use polishing discs, ideal for surfaces finished with microcement, concrete, anhydrite, etc. A single dry polishing disc can replace several to a dozen sanding papers. The disc is available in two different grits: – **#50:** Ideal for sanding bonding mass **CONCONTACT** and microcement: **CONONE, CONDUO, CONDUO Loft, CONEPOX** in **Base L** and **Base XL** grits. – **#100:** Ideal for sanding microcement: **CONONE, CONDUO, CONDUO Loft, CONEPOX** in **Normal** and **Fino** grits.

Specifications: – Diameter: FI 125/FI 150; – Grit: #50/#100; – For dry use; – Attachment: hook-and-loop

Variants	50/FI125	50/FI150	100/FI125	100/FI150
Price	8,3 EUR	10,5 EUR	8,3 EUR	10,5 EUR



Painter's tape

 **BUY NOW**



Diamond polishing discs

 **BUY NOW**

9.5 Triangular Diamond Polishing Discs – high-quality dry-use polishing discs, ideal for surfaces finished with microcement, concrete, anhydrite, etc. A single dry polishing disc can replace several to a dozen sanding papers. The disc is available in two different grits: – **#50**: Ideal for sanding bonding mass CONCONTACT and microcement CONONE, CONDUO, CONDUO Loft, CONEPOX in Base L and Base XL grits. – **#100**: Ideal for sanding microcement CONONE, CONDUO, CONDUO Loft, CONEPOX in Normal and Fino grits.


Specifications: – Grit: #50/#100; – For dry use; – Attachment: hook-and-loop

Variants	50	100
Price	11 EUR	

9.6 Diamond Polishing Blocks – a handy and lightweight tool for polishing microcement, porcelain stoneware, and stone. The ergonomic indentations ensure a secure grip and comfortable handling. Durable and precise, perfect for sanding microcement, concrete, or stone. Available in two different grits: – **#60**: Ideal for sanding bonding mass CONCONTACT and microcement CONONE, CONDUO, CONDUO Loft, CONEPOX in Base L and Base XL grits. – **#100**: Ideal for sanding microcement CONONE, CONDUO, CONDUO Loft, CONEPOX in Normal and Fino grits.

Specifications and properties: – Dimensions: 95x58x30 mm; – Grit: #50 or #100; – Ergonomic indentation for comfortable handling; – Lightweight and convenient

Variants	50	100
Price	12,2 EUR	



Triangular diamond polishing discs

[BUY NOW](#)



Diamond polishing blocks

[BUY NOW](#)

9.7 **Spatula for Decorative Plasters** – designed to meet the challenges of large renovation and decorative projects, ensuring even and precise application of smooth coats, plasters, and microcement.

Key product features:

- Compatible with a telescopic pole
- Large, replaceable blade
- Rounded blade edges
- High-hardness steel
- Durable PVC body
- Ergonomic handle

Variants	20cm	25cm
Price	18,3 EUR	23,2 EUR

9.8 **Venetian Trowel** – a tool specially designed for working with microcement and decorative plasters. Its flexibility ensures a perfect finish without burning the material. The unique design and precise craftsmanship make it the tool of choice for professionals who value efficiency, durability, and working comfort.

Key product features:

- Rounded corners and beveled edge
- Lightweight and perfectly balanced
- High-quality materials
- Ergonomic handle
- Versatile use

Variants	25cm	40cm
Price	26,9 EUR	31,8 EUR



Spatula for decorative plasters





Venetian trowel



9.9 Microfiber Rollers – available in 10 cm and 25 cm sizes with a 9 mm pile length, these rollers are designed for precise lacquering of both small and large surfaces. The microfiber material ensures smooth and even application, minimizing the risk of streaks. They are ideal for use with both water-based and solvent-based lacquers, achieving a flawless surface finish. Perfectly compatible with the **Paint Tray** and **Roller Handle** from the CONBAR range.

Key product features:

- Specially designed for floor coatings
- Versatile application
- Wide range of uses
- Optimal pile length
- Professional quality

Variants	10cm	25cm
Price	1 EUR	5,9 EUR

9.10 Roller Handles – an ergonomic tool that provides comfort and precision while painting. Made from durable materials, it is compatible with various types of paint rollers. The lightweight construction and non-slip surface ensure a secure grip and comfortable use, even during extended work sessions.

Features and properties:

- Roller compatibility: fits most standard paint rollers, including those from the CONBAR range
- Lightweight construction
- Ergonomic design
- Durable material
- Non-slip surface

Variants	10cm	25cm
Price	2 EUR	4 EUR



Microfiber rollers

 **BUY NOW**



Roller Handles

 **BUY NOW**

9.11 **Handheld Mixer for Paints, Resins, and Lacquers** – a practical tool that ensures efficient and even mixing of components, which is essential for achieving optimal painting or lacquering results. This handheld mixer significantly simplifies and speeds up painting or lacquering, guaranteeing a uniform and smooth application. Its simple yet effective design results from modern technology and attention to detail.

Key product features:

- Ergonomic handling
- Perforated design
- Durable plastic
- Versatile use
- Built-in hook

Price

0,8 EUR

9.12 **Paint Tray** – durable, ergonomic, and easy to clean. Perfect for precise application of paint and lacquers onto brushes and rollers. It is ideal for mixing paints, lacquers, and other substances used during renovation and decorative work. This practical tool makes painting smaller projects easier and more efficient.

Features and properties:

- Durable material - resistant to paints and solvents
- Ergonomic shape - comfortable to use, ensuring a smooth workflow
- Reliable capacity - suitable for different brush and roller sizes
- Multi-functionality - ideal for applying paint with a brush, roller, or mixing colors
- Easy cleaning - quick removal of paint residues

Price

1,8 EUR



Handheld mixer for paints

 **BUY NOW**



Paint tray

 **BUY NOW**

9.13 **15-in-1 Multi-Function Putty Knife** – professional stainless steel putty knife. Scraper, can opener, prying tool, paint roller cleaner, nail puller and installation aid. Durable, ergonomic and versatile – an ideal addition to any tool kit.

Functions and applications:

- Removal of old coatings and material residues
- Assembly and disassembly of components
- Painting work and surface preparation
- Quick service and maintenance tasks
- Opening cans, prying and scraping
- Carpentry and finishing work
- Cleaning painting tools

Price

8,2 EUR

9.14 **9-in-1 Multi-Function Putty Knife** – professional putty knife made of thick stainless steel with a wooden handle. Combines a scraper, pry tool, can opener, paint roller cleaner, and mini hammer in one durable tool. Ideal for renovation, painting, and drywall (gypsum board) work.

Functions and Applications:

- Drywall (gypsum board) work (shaping, finishing, and surface preparation)
- Installation and general household maintenance
- Removing paint, adhesive, and old coatings
- Cleaning painting tools (rollers and brushes)
- Prying panels, trims, and installed elements
- Carpentry work and minor repairs
- Cleaning and preparing corners

Price

12,9 EUR



**15-in-1
Multi-Function
Putty Knife**

 **BUY NOW**



**9-in-1
Multi-Function
Putty Knife**

 **BUY NOW**

9.15 Diamond Grinding Disc for Porcelain Tiles #50/#100

– professional **125 mm diamond grinding disc** designed for grinding, smoothing, and precision processing of hard materials such as porcelain tiles, ceramics, natural stone, granite, marble, and terrazzo. Ideal for preparing ceramic tiles prior to **microcement application**. Thanks to segments with a high-quality diamond abrasive and a vibration-dampening foam backing, the disc ensures stable, even, and highly efficient performance.

Key Advantages:

- Foam backing that reduces vibration and improves grinding control
- Available grit sizes suited to different stages of work (50 and 100)
- Strong hook-and-loop fastening for secure attachment
- Dry operation with efficient dust and debris removal
- Aggressive yet even grinding performance
- High-quality diamond abrasive coating
- Ideal for smoothing edges


Variants	F1125	F1150
Price	6,3 EUR	8 EUR

9.16 **Electroplated Diamond Sanding Pad** – triangular **95 × 95 × 95 mm diamond sanding pad** designed for grinding **microcement, concrete, stone, and porcelain tiles**. The electroplated diamond coating ensures fast and aggressive material removal. Ideal for **multi-tools and delta sanders**. Available grits: **#60 and #100**.

Key Advantages:


- Suitable for dry operation with efficient dust and debris removal
- 100% diamond exposure for maximum cutting aggressiveness
- Electroplated coating for high durability and even wear
- Professional grinding results - clean, even surface finish
- Ideal for corners and detailed work
- Universal mounting system
- High operational stability

Price	10,5 EUR
-------	----------



The image shows three diamond grinding discs. Two are smaller, one yellow with '100' and one blue with '50'. The third is a larger, grey, textured disc with a central hole, showing a grid of diamond segments.

Diamond Grinding Disc for Porcelain Tiles





The image shows three triangular sanding pads. One is grey with a diamond pattern, one is yellow with '100', and one is blue with '60'.

Electroplated Diamond Sanding Pad



9.17 **125 mm Diamond Cutting Disc** – professional **125 × 10 × 22.23 mm diamond cutting disc** designed for precise cutting of **expansion joints in microcement** and for fast cutting of construction materials such as **concrete, stone, and brick**. Thanks to high-quality synthetic diamonds and the **“Wavy” segmented design**, the blade ensures excellent performance, stable operation, and efficient cooling without the risk of overheating.

Features and Advantages:

- Ideal for microcement - precise cutting of expansion joints
- Suitable for dry and wet cutting - concrete, natural stone, brick, ceramics, and paving blocks
- “Wavy” segment design - improved ventilation, reduced heat build-up, and stable operation
- Low vibration - increased comfort and safety during cutting
- Long service life - high concentration of synthetic diamond
- Chip-free cutting - sintered edge construction for a precise cutting line

Price	14 EUR
--------------	--------

9.18 **Mixer for paints, lacquers and resins – 16.5 cm drill mixing paddle** – professional heavy-duty stainless steel spatula with a wooden handle. A scraper, pry bar, can opener, roller cleaner, and mini hammer – all in one robust multi-purpose tool. Ideal for renovation, painting, and drywall (plasterboard) applications.

Features & benefits:

- 4-blade design - stable mixing performance and reduced air entrainment
- Does not scratch buckets or containers, low vibration operation
- Versatile use, ideal for finishing and refurbishment work
- Optimal operating speed
- Fast and uniform mixing

Price	2,3 EUR
--------------	---------



Diamond Cutting Disc

[BUY NOW](#)



Mixer for paints, lacquers and resins

[BUY NOW](#)

10. Samples and colors

Color in interiors is not just about functionality or aesthetics—it's about emotions. Thoughtfully chosen shades can visually alter space, create ambiance, and influence well-being. Subtle tones promote harmony, while bold accents add character. That's why a conscious choice of color is the key to designing an interior that captivates and inspires.

CONBAR microcement allows you to craft spaces with unique character. With a broad color palette, our products seamlessly fit various styles—from modern to classic, from delicate hues to striking accents.

With our color swatches, you can find the perfect shade for your project, whether it's a residential space, an office, a commercial area, or an outdoor environment. Additionally, we offer the option to create any color from the RAL and NCS palettes. Our website features digital swatches to assist in the initial selection; however, screen settings may affect color representation. For the most accurate match, we recommend renting or ordering a physical CONBAR swatch.

System	CONONE & CONDUO	CONDUO Loft	CONEPOX
Price	61 EUR		



11. Sample sets

To make it easier to choose the perfect finish, we offer the option to purchase sample kits. Each kit includes all the necessary materials to apply the product on a surface of approximately 1 m². This is a great opportunity to familiarize yourself with the product's properties, test its application, and evaluate the final effect before making a final decision.

Set	CONONE
Set	CONONE Waterproof
Set	CONDUO
Set	CONDUO Waterproof
Set	CONDUO Loft
Set	CONDUO Loft Waterproof
Set	12 EUR
Set	CONEPOX
Set price	24 EUR



We invite You to cooperate.

www.conbar.pl



CONBAR
Tychów Stary 68
27-220 Mirzec, Poland
☎ +48 514 447 280
✉ kontakt@conbar.pl
🌐 www.conbar.pl

